Contents of volume 62

No 1: pp 1–104 published December 22, 1989
No 2: pp 105–182 published February 22, 1990
No 3: pp 183–262 published April 26, 1990
No 4: pp 263–344 published July 9, 1990
No 5: pp 345–416 published September 17, 1990
No 6: pp 417–484 published October 16, 1990
No 7: pp 485–536 published December 11, 1990
No 8: pp 537–608 published April 16, 1991

Aatola S, Färkkilä M, Pyykkö I, Korhonen O, Starck J: Measuring method of vibration perception threshold of fingers and its application to vibration exposed workers 239
Aatola S, Färkkilä M, Pyykkö I, Korhonen O, Starck J: Vibration perception threshold of forest worker's finger during temporary obstructed blood circulation 451
Adachi S → Takemoto K
Adlkofer F → Scherer G
Åkesson B, Skerfving S: Effects of ethanol ingestion and urinary acidity on the metabolism of triethylamine in man 89
Albrecht M → Baeder Ch
Altmann L, Böttger A, Wiegand H: Neurophysiological and psychophysical measurements reveal effects of acute low-level organic solvent exposure in humans 493
Ancker K, Göthe C-J, Halldin M: Local exhaust ventilation and exposure to nitrous oxide in ambulances 27
Andersen NT → Bælum J
Andersen P → Veiersted KB
Andersson L, Wingren G, Axelson O: Some hygienic observations from the glass industry 249
Andrzejak R → Antonowicz J
Angerer J, Lehnert G: Occupational chronic exposure to metals. II. Nickel exposure of stainless steel welders – biological monitoring 7
Angerer J, Lichterbeck E, Begerow J, Jekel S, Lehnert G: Occupational chronic exposure to organic solvents. XIII. Glycol-ether exposure during the production of varnishes 123
Angerer J → Schaller KH
Antonowicz J, Andrzejak R, Smolik R: Influence of heavy metal mixtures on erythrocyte metabolism 195
Aono H → Murata K
Araki S → Murata K
Araki S, Sata F, Murata K: Adjustment for urinary flow rate: an improved approach to biological monitoring 471
Arnetz BB, Nicolich MJ: Modelling of environmental lead contributors to blood lead in humans 397
Attewell R → Jakobsson K
Auton TR → Woollen BH
Axelson O → Andersson L

Baeder Ch, Albrecht M: Embryotoxic/teratogenic potential of halothane 263
Bælum J: Toluene in alveolar air during controlled exposure to constant and to varying concentrations 59
Bælum J, Lundqvist GR, Mølhave L, Andersen NT: Human response to varying concentrations of toluene 65
Begerow J → Angerer J
Belojević G, Nikolić M, Kecman G: Failure of industrial noise to change the patterns of vanilmandelic acid and 17-hydroxy-corticosteroids in the urine of the female weavers with hearing loss 441
Bernard A → Hotz P
Berode M → Hotz P
Berra A → Sulotto F
Berthier C → Estryn-Behar M
Betta A → Bovenzi M
Biersteker K → Heederik D
Binding N, Witting U: Exposure to formaldehyde and glutardialdehyde in operating theatres 233
Blain PG → Woollen BH
Böttger A → Altmann L
Boillat M-A → Hotz P
Boiteau HL → Stengel B
Boleij JSM → Heederik D
Bolt HM → Hallier E
Bongers PM → Boshuizen HC
Boorder T de → Vliet C van
Boshuizen HC, Bongers PM, Hulshof CTJ: Self-reported back pain in tractor drivers exposed to whole-body vibration 109
Boshuizen HC, Hulshof CTJ, Bongers PM: Long-term sick leave and disability pensioning due to back disorders of tractor drivers exposed to whole-body vibration 117
Bovenzi M, Peretti A, Zadini A, Betta A, Ciani Passeri A: Physiological reactions during brush saw operation 445
Broersen S → Ulenbelt P
Brorson T, Skarping G, Nielsen J: Biological monitoring of isocyanates and related amines. II. Test chamber exposure of humans to 1,6-hexamethylene diisocyanate (HDI) 385
Brorson T, Skarping G, Sandström JF, Stenberg M: Biological monitoring of isocyanates and related amines. I. Determination of 1,6-hexamethylene diamine (HDA) in hydrolysed human urine after oral administration of HDA 79
Brouwer R → Heederik D
Burema J → Smit HA
Burström L: Measurements of the impedance of the hand and arm 431

Černý S, Mráz J, Flek J, Tichý M: Effect of ethanol on the urinary excretion of mandelic and phenylglyoxylic acids after human exposure to styrene 243
Checkoway H → Dills RL
Cheung CK → Ng TP
Chorazy M → Hemminki K
Ciacco C → Sulotto F
Ciani Passeri A → Bovenzi M
Coenraads PJ → Smit HA
Coggiola M → Sulotto F
Conze C → Scherer G
Curio I → Ising H

Delaporte MF → Estryn-Behar M
Deng H → He F
Deutschmann S → Hallier E
Dijk FJH van → Dormolen M van
Dills RL, Wu RL, Checkoway H, Kalman DA: Capillary gas chromatographic method for mandelic and phenylglyoxylic acids in urine 603
Doi K → Kono K
Dormolen M van, Hertog CAWM, Dijk FJH van, Kompier MAJ, Furtuin R: The quest for interaction: studies on combined exposure 279
Døssing M, Groth S, Vestbo J, Lyngenbo O: Small-airways dysfunction in never smoking asbestos exposed Danish plumbers 209
Ducos P, Gaudin R, Robert A, Francin JM, Maire C: Improvement in HPLC analysis of urinary *trans,trans*-muconic acid, a promising substitute for phenol in the assessment of benzene exposure 529

Edelman DA: Does asbestosis increase the risk of lung cancer 345
Englander V → Wingren G
Eriksson K, Levin J-O: Identification of *cis*- and *trans*-verbenol in human urine after occupational exposure to terpenes 379
Estryn-Behar M, Kaminski M, Peigne E, Maillard MF, Pelletier A, Berthier C, Delaporte MF, Paoli MC, Leroux JM: Strenuous working conditions and musculo-skeletal disorders among female hospital workers 47

Färkkilä M → Aatola S
Feingold M → Johnson CC
Fick G → Green FHY
Flek J → Černý S
Florack EIM, Zielhuis GA: Occupational ethylene oxide exposure and reproduction 273
Francin JM → Ducos P
Furtuin R → Dormolen M van
Furuta M → Sakakibara H

Gaudin R → Ducos P
Gennart JPh, Lauwerys R: Ventilatory function of workers exposed to cobalt and diamond containing dust 333
Géron HMA → Ulenbelt P
Göthe C-J → Ancker K
Golka K → Wenzel C
Grandjean P → Lyngbye T

Green FHY, Yoshida K, Fick G, Paul J, Hugh A, Green WF: Characterization of airborne mineral dusts associated with farming activities in rural Alberta, Canada 423
Green WF → Green FHY
Groth S → Døssing M
Grzesik J → Pawlas K
Grzybowska E → Hemminki K
Guest EA → Woollen BH
Guillemin M → Hotz P

Hagberg M → Wigaeus Hjelm E
Hagman L, Schütz A, Hallberg T, Sjöholm A: Health effects of exposure to endotoxins and organic dust in poultry slaughter-house workers 159
Hallberg T → Hagman L
Halldin M → Ancker K
Hallier E, Deutschmann S, Reichel C, Bolt HM, Peter H: A comparative investigation of the metabolism of methyl bromide and methyl iodide in human erythrocytes 221
Hansen ON → Lyngbye T
Harada A → Sugita M
Harousseau H → Stengel B
He F, Deng H, Ji X, Zhang Z, Sun J, Yao P: Changes of nerve excitability and urinary deltamethrin in sprayers 587
Heederik D, Brouwer R, Biersteker K, Boleij JSM: Relationship of airborne endotoxin and bacteria levels in pig farms with the lung function and respiratory symptoms of farmers 595
Hemminki K, Grzybowska E, Chorazy M, Twardowska-Saucha K, Sroczynski JW, Putman KL, Randerath K, Phillips DH, Hewer A: Aromatic DNA adducts in white blood cells of coke workers 467
Hémon D → Stengel B
Herber RFM → Ulenbelt P
Hertog CAWM → Dormolen M van
Hewer A → Hemminki K
Higashi T → Teruya K
Hinz A → Schreinicke G
Holz O, Krause Th, Scherer G, Schmidt-Preuß U, Rüdiger HW: ^{32}P-postlabelling analysis of DNA adducts in monocytes of smokers and passive smokers 299
Honda R → Nogawa K
Horiguchi S → Kawai T
Hossfeld D → Meyer A
Hotz P, Pilliod J, Bernard A, Berode M, Rey F, Mazzocato C, Guillemin M, Boillat M-A: Hydrocarbon exposure, hypertension and kidney function tests 501
Howe W → Woollen BH
Huber P → Zober A
Hüber B → Schreinicke G
Hugh A → Green FHY
Hulshof CTJ → Boshuizen HC
Hultgren B → Jakobsson K

Ichiba M, Tomokuni K: Studies on erythrocyte pyrimidine 5′-nucleotidase (P5N) test and its evaluation in workers occupationally exposed to lead 305
Iguchi H → Kawai T
Ijaduola GTA → Oleru UG
Ikeda M → Kawai T
Ikeda M → Seiji K
Ikeda M → Sugita M
Imaizumi K → Sugita M
Inoue O → Kawai T
Inoue S → Kono K
Iregren A → Wigaeus Hjelm E
Ishizaki M → Nogawa K
Ising H → Michalak R
Ising H, Rebentisch E, Poustka F, Curio I: Annoyance and health risk caused by military low-altitude flight noise 357
Iwami O → Kawai T
Iwamoto T → Ogata M
Iwase S → Sakakibara H

Jakobsson K, Attewell R, Hultgren B, Sjöland K: Gastrointestinal cancer among cement workers. A case-referent study 337
Jauchem JR, Waligora JM, Johnson PhC Jr: Blood biochemical and cellular changes during decompression and simulated extravehicular activity 391
Jedrychowski W → Krzyzanowski M
Jekel S → Angerer J
Jeong W, Tokura H: Circadian rhythm of rectal temperature in man with two different types of clothing 295
Ji X → He F
Jin C → Seiji K
Jörres R → Magnussen H
Johnson CC, Feingold M, Tilley B: A meta-analysis of exposure to phenoxy acid herbicides and chlorophenols in relation to risk of soft tissue sarcoma 513
Johnson PhC Jr → Jauchem JR
Jones MG → Ng TP
Juutilainen J, Läärä E, Pukkala E: Incidence of leukaemia and brain tumours in Finnish workers exposed to ELF magnetic fields 289

Kalman DA → Dills RL
Kaminski M → Estryn-Behar M
Kaneko Y → Teruya K
Kawada T, Tohyama C, Suzuki S: Significance of the excretion of urinary indicator proteins for a low level of occupational exposure to cadmium 95
Kawai H → Takemoto K
Kawai T, Mizunuma K, Yasugi T, Uchida Y, Ikeda M: The method of choice for the determination of 2,5-hexanedione as an indicator of occupational exposure to *n*-hexane 403
Kawai T, Yasugi T, Horiguchi S, Uchida Y, Iwami O, Iguchi H, Inoue O, Watanabe T, Nakatsuka H, Ikeda M: Biological monitoring of occupational exposure to isopropyl alcohol vapor by urinalysis for acetone 409
Kawai T, Yasugi T, Uchida Y, Iwami O, Ikeda M: Urinary excretion of unmetabolized acetone as an indicator of occupational exposure to acetone 165
Kecman G → Belojević G
Khaleque A: Effects of diurnal and seasonal sleep deficiency on work effort and fatigue of shift workers 591
Kido T → Nogawa K
Kitamura M → Sugita M
Kjærgaard SK, Pedersen OF, Taudorf E, Mølhave L: Assessment of changes in eye redness by a photographic method and the relation to sensory eye irritation 133
Knapikowa D, Kwiatkowski S, Okrojek M, Pecherzewska J, Smolik R: Prospective investigations of the managing staff in plant of heavy industry with respect to ischemic heart disease 341
Kobayashi F → Sakakibara H
Kodama Y → Sugita M
Kollmeier H, Seemann J, Wittig P, Rothe G, Müller K-M: Cadmium in human lung tissue 373
Kompier MAJ → Dormolen M van
Kondo T → Sakakibara H
Kono K, Yoshida Y, Watanabe M, Watanabe H, Inoue S, Murao M, Doi K: Elemental analysis of hair among hydrofluoric acid exposed workers 85
Korhonen O → Aatola S
Kratzsch J → Schreinicke G
Krause Th → Holz O
Kröger S, Liesivuori J, Manninen A: Evaluation of workers' exposure to 2-ethylhexanoic acid (2-EHA) in Finnish sawmills. A field study 213
Krzyzanowski M, Jedrychowski W: Occupational exposure and incidence of chronic respiratory symptoms among residents of Cracow followed for 13 years 311
Kusters E, Lauwerys R: Biological monitoring of exposure to monochlorobenzene 329
Kuwahara T → Takemoto K
Kwiatkowski S → Knapikowa D

Läärä E → Juutilainen J
Lam WK → Ng TP
Lauwerys R → Gennart JPh
Lauwerys R → Kusters E
Lehnert G → Angerer J
Lehnert G → Schaller KH
Leroux JM → Estryn-Behar M
Levin J-O → Eriksson K
Lichterbeck E → Angerer J
Liesivuori J → Kröger S
Löf A → Wigaeus Hjelm E
Loriot J, Tourte J: Hazards of contact lenses used by workers 105
Lumens MEGL → Ulenbelt P
Lundqvist GR → Bælum J
Lyngbye T, Hansen ON, Grandjean P: Predictors of tooth-lead level with special reference to traffic. A study of lead-exposure in children 417
Lyngenbo O → Døssing M

Magnussen H, Jörres R, Wagner HM, Nieding G v †: Relationship between the airway response to inhaled sulfur dioxide, isocapnic hyperventilation, and histamine in asthmatic subjects 485
Maillard MF → Estryn-Behar M
Maire C → Ducos P
Mandereau L → Stengel B
Manninen A → Kröger S
Mano T → Sakakibara H
Marsh JR → Woollen BH

Massin N, Moulin J-J, Wild P, Meyer-Bisch C, Mur J-M: A study of the prevalence of acute respiratory disorders among workers in the textile industry 555
Mazzocato C → Hotz P
Meijers JMM → Vliet C van
Messerer P → Zober A
Meyer A, Nowak D, Hossfeld D, Rüdiger HW: Increased formation of DNA adducts in cultured fibroblasts of patients with aplastic anemia after in vitro incubation with benzo(a)pyrene 525
Meyer-Bisch C → Massin N
Meyerinck L v → Scherer G
Michalak R, Ising H, Rebentisch E: Acute circulatory effects of military low-altitude flight noise 365
Milković-Kraus S: Noise-induced hearing loss and blood pressure 259
Miyao M → Sakakibara H
Mizunuma K → Kawai T
Moen BE: Work with chemicals on deck of Norwegian chemical tankers 543
Mølhave L → Bælum J
Mølhave L → Kjærgaard SK
Mori Y → Sugita M
Moulin J-J → Massin N
Mráz J → Černý S
Müller K-M → Kollmeier H
Mur J-M → Massin N
Murao M → Kono K
Murata K → Araki S
Murata K, Araki S, Aono H: Central and peripheral nervous system effects of hand-arm vibrating tool operation. A study of brainstem auditory-evoked potential and peripheral nerve conduction 183
Muto T → Teruya K

Nakamoto M: Responses of sympathetic nervous system to cold exposure in vibration syndrome subjects and age-matched healthy controls 177
Nakatsuka H → Kawai T
Nakatsuka H → Seiji K
Nater JP → Smit HA
Ng TP, Ong SG, Lam WK, Jones MG, Cheung CK, Ong CN: Urinary levels of proteins and metabolites in workers exposed to toluene. A cross-sectional study 43
Nicolich MJ → Arnetz BB
Nieding G v † → Magnussen H
Nielsen J → Brorson T
Nikolić M → Belojević G
Nishima M → Takemoto K
Nogawa K, Tsuritani I, Kido T, Honda R, Ishizaki M, Yamada Y: Serum vitamin D metabolites in cadmium-exposed persons with renal damage 189
Nowak D → Meyer A

Ogata M, Iwamoto T: Enzymatic assay of formic acid and gas chromatography of methanol for urinary biological monitoring of exposure to methanol 227
Ogata M, Iwamoto T, Taguchi T: Urinary 2,5-hexanedione assay involving its conversion to 2,5-dimethylpyrrole 561
Okrojek M → Knapikowa D
Oleru UG, Ijaduola GTA, Sowho EE: Hearing thresholds in an auto assembly plant: prospects for hearing conservation in an Nigerian factory 199
Omae K → Teruya K
Ong CN → Ng TP
Ong SG → Ng TP

Paoli MC → Estryn-Behar M
Paul J → Green FHY
Pawlas K, Grzesik J: Efficiency of ear protectors in laboratory and real life tests 323
Pecherzewska J → Knapikowa D
Pedersen OF → Kjærgaard SK
Peigne E → Estryn-Behar M
Pelletier A → Estryn-Behar M
Peretti A → Bovenzi M
Peteghem C van → Poucke L van
Peter H → Hallier E
Phillips DH → Hemminki K
Pilliod J → Hotz P
Pinnagoda J → Smit HA
Piolatto G → Sulotto F
Polizzi S → Sulotto F
Poucke L van, Peteghem C van, Vanhoorne M: Accumulation of carbon disulphide metabolites 479
Poustka F → Ising H
Pukkala E → Juutilainen J
Putman KL → Hemminki K
Pyykkö I → Aatola S

Randerath K → Hemminki K
Rasmussen FV → Vestbo J
Rebentisch E → Ising H
Rebentisch E → Michalak R
Reichel C → Hallier E
Rey F → Hotz P
Robert A → Ducos P
Romano C → Sulotto F
Rothe G → Kollmeier H
Rüdiger HW → Holz O
Rüdiger HW → Meyer A
Rutenfranz M → Wenzel C
Rutenfranz J †

Saito M → Sugita M
Sakakibara H, Iwase S, Mano T, Watanabe T, Kobayashi F, Furuta M, Kondo T, Miyao M, Yamada S: Skin sympathetic activity in the tibial nerve triggered by vibration applied to the hand 455
Sakurai H → Teruya K
Sandström JF → Brorson T
Sata F → Araki S
Schaller KH, Angerer J, Lehnert G: Internal and external quality control in the toxicological analysis of blood and urine samples in the Federal Republic of Germany 537
Scherer G, Conze C, Meyerinck L v, Sorsa M, Adlkofer F: Importance of exposure to gaseous and particulate phase components of tobacco smoke in active and passive smokers 459
Scherer G → Holz O
Schmidt-Preuß U → Holz O
Schreinicke G, Hinz A, Kratzsch J, Hüber B, Voigt G: Stress-related changes of saliva cortisol in VDU operators 319
Schütz A → Hagman L
Seemann J → Kollmeier H
Seiji K, Jin C, Watanabe T, Nakatsuka H, Ikeda M: Sister chromatid exchanges in peripheral lymphocytes of workers exposed to benzene, trichloroethylene, or tetrachloroethylene, with reference to smoking habits 171
Sjöholm A → Hagman L
Sjöland K → Jakobsson K
Skarping G → Brorson T
Skerfving S → Åkesson B
Smit HA, Pinnagoda J, Tupker RA, Burema J, Coenraads PJ, Nater JP: Variability in transepidermal water loss of the skin: evaluation of a method to assess susceptibility to contact dermatitis in epidemiological studies 509
Smith A: Noise, performance efficiency and safety 1
Smolik R → Antonowicz J
Smolik R → Knapikowa D
Sorsa M → Scherer G
Sowho EE → Oleru UG
Sroczynski JW → Hemminki K
Starck J → Aatola S
Stenberg M → Brorson T
Stengel B, Touranchet A, Boiteau HL, Harousseau H, Mandereau L, Hémon D: Hematological findings among styrene-exposed workers in the reinforced plastics industry 11
Sturmans F → Vliet C van
Sugita M, Harada A, Taniguchi M, Saito M, Imaizumi K, Kitamura M, Kodama Y, Mori Y, Wada O, Ikeda M: Quality control program on biological monitoring by Japan Federation of Occupational Health Organizations 569
Sulotto F, Romano C, Piolatto G, Coggiola M, Polizzi S, Ciacco C, Berra A: Short-term respiratory changes in polyurethane foam workers exposed to low MDI concentration 521
Sun J → He F
Suzuki S → Kawada T
Swaen GMH → Vliet C van

Taguchi T → Ogata M
Takemoto K, Kawai H, Kuwahara T, Nishina M, Adachi S: Metal concentrations in human lung tissue, with special reference to age, sex, cause of death, emphysema and contamination of lung tissue 579
Talbott EO → Virji SK
Taniguchi M → Sugita M
Taudorf E → Kjærgaard SK
Teruya K, Sakurai H, Omae K, Higashi T, Muto T, Kaneko Y: Effect of lead on cardiac parasympathetic function 549
Tichý M → Černý S
Tilley B → Johnson CC
Tohyama C → Kawada T
Tokura H → Jeong W
Tomokuni K → Ichiba M
Touranchet A → Stengel B
Tourte J → Loriot J
Tsuritani I → Nogawa K
Tupker RA → Smit HA
Twardowska-Saucha K → Hemminki K
Tweehuysen M → Vliet C van

Uchida Y → Kawai T
Ulenbelt P, Lumens MEGL, Géron HMA, Herber RFM, Broersen S, Zielhuis RL: Work hygienic behaviour as modifier of the lead air-lead blood relation 203

Vanhoorne M → Pouke L van
Veiersted KB, Westgaard RH, Andersen P: Pattern of muscle activity during stereotyped work and its relation to muscle pain 31
Vestbo J → Døssing M
Vestbo J, Rasmussen FV: Long-term exposure to cement dust and later hospitalization due to respiratory disease 217
Virji SK, Talbott EO: The relationship between occupational classification and low birth weight in a naticnal sample of white married mothers 351
Vliet C van, Swaen GMH, Volovics A, Tweehuysen M, Meijers JMM, Boorder T de, Sturmans F: Neuropsychiatric disorders among solvent-exposed workers. First results from a Dutch case-control study 127
Voigt G → Schreinicke G
Volovics A → Vliet C van

Wada O → Sugita M
Wagner HM → Magnussen H
Waligora JM → Jauchem JR
Watanabe H → Kono K
Watanabe M → Kono K
Watanabe T → Kawai T
Watanabe T → Sakakibara H
Watanabe T → Seiji K
Wenzel C, Wenzel HG, Golka K, Rutenfranz M, Rutenfranz J †: A comparative study on different methods for the determination of energy expenditure 101
Wenzel HG → Wenzel C
Westgaard RH → Veiersted KB
Wiegand H → Altmann L
Wigaeus Hjelm E, Hagberg M, Iregren A, Löf A: Exposure to methyl isobutyl ketone: toxicokinetics and occurrence of irritative and CNS symptoms in man 19
Wild P → Massin N
Wilson HK → Woollen BH
Wingren G → Andersson L
Wingren G, Englander V: Mortality and cancer morbidity in a cohort of Swedish glassworkers 253
Wittig P → Kollmeier H
Witting U → Binding N
Woollen BH, Guest EA, Howe W, Marsh JR, Wilson HK, Auton TR, Blain PG: Human inhalation pharmacokinetics of 1,1,2-trichloro-1,2,2-trifluoroethane (FC113) 73
Wu RL → Dills RL

Yamada S → Sakakibara H
Yamada Y → Nogawa K
Yao P → He F
Yasugi T → Kawai T
Yoshida K → Green FHY
Yoshida Y → Kono K

Zadini A → Bovenzi M
Zhang Z → He F
Zielhuis GA → Florack EIM
Zielhuis RL → Ulenbelt P
Zober A, Messerer P, Huber P: Thirty-four-year mortality follow-up of BASF employees exposed to 2,3,7,8-TCDD after the 1953 accident 139

Congresses 104, 182, 343, 415, 483, 535, 607
Acknowledgement 608

Indexed in *Current Contents*